



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/878,920	06/13/2001	Metaxas Gamvrelis	839-954	2278
30024	7590	08/12/2004	EXAMINER	
NIXON & VANDERHYE P.C./G.E. 1100 N. GLEBE RD. SUITE 800 ARLINGTON, VA 22201			WEST, JEFFREY R	
			ART UNIT	PAPER NUMBER
			2857	

DATE MAILED: 08/12/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/878,920	GAMVRELIS ET AL.	
	Examiner	Art Unit	
	Jeffrey R. West	2857	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 July 2004.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 2-23 and 28-31 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 2-23 and 28-31 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 28 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 2, 7, 8, 13, 18, 19, 23, and 28-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,577,961 to Hubbard et al. in view of U.S. Patent No. 5,550,460 to Bellin et al.

Hubbard discloses an energy meter having programmable functions including a first system for receiving input data from a plurality of field transformers each corresponding to a respective circuit phase (Figure 1 and column 5, lines 24-28), a digital signal processor system coupled to the first system, and a microprocessor system coupled to the digital signal processor system (column 5, lines 18-23 and Figure 1, "14" and "16"), wherein the first system in combination with the digital signal processor system and the microprocessor system performs metering (column 5, lines 39-46), power quality (column 8, lines 19-23), through nominal harmonic analysis (column 13, lines 39-43 and table 3), digital fault recording (column 8, lines 4-18), and supervisory control and data acquisition functions (column 10, line 60 to

column 11, line 7). Hubbard also teaches that the digital fault recording determines the occurrence of an overcurrent fault (column 8, lines 15-18).

As noted above, the invention of Hubbard teaches many of the features of the claimed invention and while the invention of Hubbard teaches performing metering functions on data input through a plurality of corresponding sensing transformers, each associated with a specific phase, as well as performing fault recording during an overcurrent condition, Hubbard does not specifically disclose a switching circuit coupled to each of a plurality of transformers adapted to switch to multiple positions depending on whether the current of the transformer is in a metering range or an overcurrent range, wherein one of the positions enables the components to perform metering and another position enables the system to perform the digital fault recording function.

Bellin teaches a switching circuit coupled to a multi-tap transformer adapted to switch multiple positions depending on whether the current flowing through a primary circuit of the transformer (column 2, lines 24-32) is in a metering range or a fault detecting range (column 3, lines 14-27), wherein one of the positions enables the components to perform metering and another position enables the system to perform the digital fault recording function (column 3, Table 1 and column 4, line 56 to column 5, line 10). Bellin teaches the multi-tap transformer including its own primary winding and its own secondary winding inductively coupled thereto wherein the switching circuit is coupled to the secondary winding (Figure 5).

It would have been obvious to one having ordinary skill in the art to modify the invention of Hubbard to include a switching circuit coupled to each of a plurality of transformers adapted to switch to multiple positions depending on whether the current of the transformer is in a metering range or an overcurrent range, wherein one of the positions enables the components to perform metering and another position enables the system to perform the digital fault recording function, as taught by Bellin, because, as suggested by Bellin, the combination would have provided a means for automatically switching between a plurality of operations in order to perform the plurality of functions desired, such as would be applicable for switching between the functions of Hubbard, to increase efficiency and lessen the burden required of the user (column 1, lines 49-59) while maintaining a relatively constant voltage level to reduce the possibility of damage to equipment (column 1, lines 8-13).

Further, since the invention of Hubbard teaches performing metering and overcurrent fault detection on a per-phase basis (column 5, lines 52-57 and column 8, lines 9-18) and the invention of Bellin teaches including a transformer and switching circuit for switching between metering and overcurrent functions, the combination of Hubbard and Bellin would include a transformer and switching circuit for each phase thereby creating an AC subsystem including a plurality of transformers and associated switching circuits.

4. Claims 3-5, 9, 10, 14, 15, 17, 20, and 21 are rejected under 35 U.S.C. 103(a) as

being unpatentable over Hubbard et al. in view of Bellin et al. and further in view of U.S. Patent No. 5,353,189 to Tomlinson.

As noted above, Hubbard in combination with Bellin teaches all of the features of the claimed invention except for including a device between the field sensor and operational circuitry for common-mode or normal-mode transient surge protection.

Tomlinson teaches a surge protector for traffic monitoring/metering equipment comprising a surge protecting device between field sensors and their corresponding operational monitoring equipment (column 2, lines 19-21), wherein the surge protecting device provides both common and normal mode transient surge protection (abstract) using metal oxide varistors and gas tube arrestors (column 2, lines 24-31).

It would have been obvious to one having ordinary skill in the art to modify the invention of Hubbard, and Bellin to include a device between the field sensor and operational circuitry for common-mode or normal-mode transient surge protection, as taught by Tomlinson, because the combination would have provided adequate protection from high surges thereby eliminating equipment downtime and the need for repeated expenditures for maintenance, repair, and/or replacement of equipment (column 2, lines 8-15).

5. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hubbard et al. in view of Bellin and further in view of U.S. Patent No. 5,734,256 to Larsen et al.

As noted above, Hubbard in combination with Bellin teaches all of the features of the claimed invention except for specifically including a diode mirror for providing crowbar protection against signals that are higher in absolute value than the supply voltage.

Larsen teaches an apparatus for protection of power-electronics in series compensating systems comprising a conventional metal oxide varistor and bypass breaker combination on the line side of a coupling transformer and a solid-state thyristor shorting crowbar switch, using a diode mirror, that provides crowbar protection against signals that are higher in absolute value than the supply voltage (abstract and column 3, lines 2-7).

It would have been obvious to one having ordinary skill in the art to modify the invention of Hubbard and Bellin to specifically include a diode mirror for providing crowbar protection against signals that are higher in absolute value than the supply voltage, as taught by Larsen, because, as suggested by Larsen, the combination would have provided a method for preventing damage to the apparatus needing protection by controlling large current flows that can occur during fault conditions (column 1, lines 30-45 and column 2, line 67 to column 3, line 12).

6. Claims 11, 12, 16, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hubbard et al. in view of Bellin and Tomlinson and further in view of U.S. Patent No. 5,734,256 to Larsen et al.

As noted above, Hubbard in combination with Bellin and Tomlinson teaches all of the features of the claimed invention except for specifically including a diode mirror for providing crowbar protection against signals that are higher in absolute value than the supply voltage.

Larsen teaches an apparatus for protection of power-electronics in series compensating systems comprising a conventional metal oxide varistor and bypass breaker combination on the line side of a coupling transformer and a solid-state thyristor shoring crowbar switch, using a diode mirror, that provides crowbar protection against signals that are higher in absolute value than the supply voltage (abstract and column 3, lines 2-7).

It would have been obvious to one having ordinary skill in the art to modify the invention of Hubbard, Bellin, and Tomlinson to specifically include a diode mirror for providing crowbar protection against signals that are higher in absolute value than the supply voltage, as taught by Larsen, because, as suggested by Larsen, the combination would have provided a method for preventing damage to the apparatus needing protection by controlling large current flows that can occur during fault conditions (column 1, lines 30-45 and column 2, line 67 to column 3, line 12).

Response to Arguments

7. Applicant's arguments with respect to claims 2-23 and 28-31 have been considered but are moot in view of the new ground(s) of rejection.

The following arguments, however, are noted.

Firstly, Applicant's argument requesting the withdrawal of the finality of the previous Office Action and entering of the current claim amendments has been considered and is persuasive.

Secondly, Applicant argues that "[r]ather than teaching a plurality of transformers (each operating with respect to one phase of an electric circuit) coupled respectively to a plurality of switching circuits, Bellin merely teaches one multi-tap transformer. Accordingly, even if Hubbard and Bellin were combined as proposed by the Office Action, the combination would not have taught or suggested all of the claimed limitations."

Although the grounds of rejection has been changed, the Examiner also asserts that the invention of Hubbard already teaches performing metering and overcurrent fault detection on a per-phase basis (column 5, lines 52-57 and column 8, lines 9-18). Therefore, the combination of Hubbard and Bellin includes transformers and switching circuits for each phase of the apparatus.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 6,535,369 to Redding et al. Redding teaches an adaptive surge suppressor and high voltage transient protector (column 2, lines 41-50) including a sensor (column 5, lines 50-51), such as a current transformer (column 6, lines 15-17), and a plurality of switching circuits, each circuit coupled to a respective sensing

Art Unit: 2857

transformers (i.e. an AC subsystem) (Figure 3) and further adapted to switch to multiple positions depending on whether the current flowing through a primary circuit of a respective transformer is in a normal range or an overcurrent range (column 5, line 51 to column 6, line 2). Redding also teaches including in the circuitry a suppressor element (column 5, line 53), such as a metal oxide varistor (column 4, line 52).

U.S. Patent Application Publication No. 2001/0048356 to Owen teaches the construction of a multi-tap transformer having inductively coupled primary and secondary windings.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey R. West whose telephone number is (703)308-1309. The examiner can normally be reached on Monday through Friday, 8:00-4:30.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc S. Hoff can be reached on (703)308-1677. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0956.

Application/Control Number: 09/878,920
Art Unit: 2857

Page 10

jrw
August 3, 2004


MARC S. HOFF
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800